



October 18, 2024

William Kotas  
Intertek PSI  
17 British American Boulevard  
Latham, NY 12110

RE: Project: MIDDLEBURGH CSD JR/SR H SCHOOL  
Pace Project No.: 70316221

Dear William Kotas:

Enclosed are the analytical results for sample(s) received by the laboratory on October 03, 2024. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Melville

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in cursive script that reads "Lori Beyer".

Lori A. Beyer  
lori.beyer@pacelabs.com  
516-370-6014  
Project Manager

Enclosures



## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## CERTIFICATIONS

Project: MIDDLEBURGH CSD JR/SR H SCHOOL

Pace Project No.: 70316221

---

### **Pace Analytical Services, LLC - Melville, NY**

575 Broad Hollow Rd, Melville, NY 11747

Connecticut Certification #: PH-0435

Delaware Certification # NY 10478

Maryland Certification #: 208

Massachusetts Certification #: M-NY026

New Hampshire Certification #: 2987

New Jersey Certification #: NY158

New York Certification #: 10478 Primary Accrediting Body

Pennsylvania Certification #: 68-00350

Rhode Island Certification #: LAO00340

---

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

**SAMPLE SUMMARY**

Project: MIDDLEBURGH CSD JR/SR H SCHOOL

Pace Project No.: 70316221

Lab ID	Sample ID	Matrix	Date Collected	Date Received
70316221001	EL GYM WF	Drinking Water	10/02/24 06:02	10/03/24 07:00
70316221002	EL GYM WF BF	Drinking Water	10/02/24 06:02	10/03/24 07:00
70316221003	EL KIT COM1	Drinking Water	10/02/24 06:05	10/03/24 07:00
70316221004	EL KIT COM2	Drinking Water	10/02/24 06:05	10/03/24 07:00
70316221005	EL KIT COM3	Drinking Water	10/02/24 06:06	10/03/24 07:00
70316221006	EL KIT PREP 1	Drinking Water	10/02/24 06:06	10/03/24 07:00
70316221007	EL KIT PREP 2	Drinking Water	10/02/24 06:06	10/03/24 07:00
70316221008	EL CAFE WF	Drinking Water	10/02/24 06:07	10/03/24 07:00
70316221009	EL CAFE WF BF	Drinking Water	10/02/24 06:08	10/03/24 07:00
70316221010	EL 171 CS	Drinking Water	10/02/24 06:10	10/03/24 07:00
70316221011	EL 171 WF	Drinking Water	10/02/24 06:10	10/03/24 07:00
70316221012	EL 169 CS	Drinking Water	10/02/24 06:13	10/03/24 07:00
70316221013	EL 170 CS	Drinking Water	10/02/24 06:12	10/03/24 07:00
70316221014	EL 170 WF	Drinking Water	10/02/24 06:12	10/03/24 07:00
70316221015	EL 168 CS	Drinking Water	10/02/24 06:14	10/03/24 07:00
70316221016	EL 168 WF	Drinking Water	10/02/24 06:14	10/03/24 07:00
70316221017	EL 166 CS	Drinking Water	10/02/24 06:16	10/03/24 07:00
70316221018	EL 166 WF	Drinking Water	10/02/24 06:16	10/03/24 07:00
70316221019	EL 165 CS	Drinking Water	10/02/24 06:18	10/03/24 07:00
70316221020	EL NRS EXAM	Drinking Water	10/02/24 06:19	10/03/24 07:00
70316221021	EL MO LNG	Drinking Water	10/02/24 06:20	10/03/24 07:00
70316221022	EL 118 CS	Drinking Water	10/02/24 06:22	10/03/24 07:00
70316221023	EL 119 CS	Drinking Water	10/02/24 06:23	10/03/24 07:00
70316221024	EL 120 CS	Drinking Water	10/02/24 06:25	10/03/24 07:00
70316221025	EL 121 CS	Drinking Water	10/02/24 06:27	10/03/24 07:00
70316221026	EL FAC LNG	Drinking Water	10/02/24 06:28	10/03/24 07:00
70316221027	EL 148 CS	Drinking Water	10/02/24 06:25	10/03/24 07:00
70316221028	EL 149 CS	Drinking Water	10/02/24 06:30	10/03/24 07:00
70316221029	EL 150 CS	Drinking Water	10/02/24 06:31	10/03/24 07:00
70316221030	EL 151 CS	Drinking Water	10/02/24 06:33	10/03/24 07:00
70316221031	EL 152 CS	Drinking Water	10/02/24 06:35	10/03/24 07:00
70316221032	EL 155 CS	Drinking Water	10/02/24 06:37	10/03/24 07:00
70316221033	EL 157 CS	Drinking Water	10/02/24 06:36	10/03/24 07:00
70316221034	EL 157 WF	Drinking Water	10/02/24 06:39	10/03/24 07:00
70316221035	EL 158 CS	Drinking Water	10/02/24 06:40	10/03/24 07:00
70316221036	EL 158 WF	Drinking Water	10/02/24 06:40	10/03/24 07:00
70316221037	EL 159 CS	Drinking Water	10/02/24 06:43	10/03/24 07:00

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

**SAMPLE SUMMARY**

Project: MIDDLEBURGH CSD JR/SR H SCHOOL

Pace Project No.: 70316221

Lab ID	Sample ID	Matrix	Date Collected	Date Received
70316221038	EL 160 DS	Drinking Water	10/02/24 06:46	10/03/24 07:00
70316221039	EL 160 CS	Drinking Water	10/02/24 06:45	10/03/24 07:00
70316221040	EL 160 WF	Drinking Water	10/02/24 06:45	10/03/24 07:00
70316221041	EL 156 CS	Drinking Water	10/02/24 06:42	10/03/24 07:00
70316221042	EL 156 WF	Drinking Water	10/02/24 06:42	10/03/24 07:00
70316221043	EL 162 CS	Drinking Water	10/02/24 06:48	10/03/24 07:00
70316221044	EL 162 WF	Drinking Water	10/02/24 06:48	10/03/24 07:00
70316221045	EL 141 BR WF	Drinking Water	10/02/24 06:57	10/03/24 07:00
70316221046	EL 141 BR WF BF	Drinking Water	10/02/24 06:57	10/03/24 07:00
70316221047	EL 141 CS	Drinking Water	10/02/24 06:59	10/03/24 07:00
70316221048	EL 140 CS	Drinking Water	10/02/24 06:59	10/03/24 07:00
70316221049	EL 139 CS	Drinking Water	10/02/24 07:01	10/03/24 07:00
70316221050	EL 138 CS	Drinking Water	10/02/24 07:01	10/03/24 07:00
70316221051	EL 136 CS	Drinking Water	10/02/24 07:02	10/03/24 07:00
70316221052	EL 135 CS WL	Drinking Water	10/02/24 07:05	10/03/24 07:00
70316221053	EL 135 CS WR	Drinking Water	10/02/24 07:06	10/03/24 07:00
70316221054	EL 135 CS INT	Drinking Water	10/02/24 07:06	10/03/24 07:00
70316221055	EL 130 EXAM	Drinking Water	10/02/24 07:10	10/03/24 07:00
70316221056	EL 132 CS	Drinking Water	10/02/24 07:14	10/03/24 07:00
70316221057	EL 132 WF	Drinking Water	10/02/24 07:14	10/03/24 07:00
70316221058	EL 131 CS	Drinking Water	10/02/24 07:12	10/03/24 07:00
70316221059	EL 131 WF	Drinking Water	10/02/24 07:12	10/03/24 07:00
70316221060	EL 163 CS	Drinking Water	10/02/24 06:50	10/03/24 07:00
70316221061	EL 163 WF	Drinking Water	10/02/24 06:50	10/03/24 07:00
70316221062	EL 161 CS	Drinking Water	10/02/24 06:53	10/03/24 07:00
70316221063	EL 161 WF	Drinking Water	10/02/24 06:53	10/03/24 07:00
70316221064	EL 125 CS	Drinking Water	10/02/24 07:08	10/03/24 07:00
70316221065	EL 130 BR	Drinking Water	10/02/24 07:10	10/03/24 07:00

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

**SAMPLE ANALYTE COUNT**

Project: MIDDLEBURGH CSD JR/SR H SCHOOL

Pace Project No.: 70316221

Lab ID	Sample ID	Method	Analysts	Analytes Reported
70316221001	EL GYM WF	EPA 200.8	JP2	1
70316221002	EL GYM WF BF	EPA 200.8	JP2	1
70316221003	EL KIT COM1	EPA 200.8	JP2	1
70316221004	EL KIT COM2	EPA 200.8	JP2	1
70316221005	EL KIT COM3	EPA 200.8	JP2	1
70316221006	EL KIT PREP 1	EPA 200.8	JP2	1
70316221007	EL KIT PREP 2	EPA 200.8	JP2	1
70316221008	EL CAFE WF	EPA 200.8	JP2	1
70316221009	EL CAFE WF BF	EPA 200.8	JP2	1
70316221010	EL 171 CS	EPA 200.8	JP2	1
70316221011	EL 171 WF	EPA 200.8	JP2	1
70316221012	EL 169 CS	EPA 200.8	JP2	1
70316221013	EL 170 CS	EPA 200.8	JP2	1
70316221014	EL 170 WF	EPA 200.8	JP2	1
70316221015	EL 168 CS	EPA 200.8	JP2	1
70316221016	EL 168 WF	EPA 200.8	JP2	1
70316221017	EL 166 CS	EPA 200.8	JP2	1
70316221018	EL 166 WF	EPA 200.8	JP2	1
70316221019	EL 165 CS	EPA 200.8	JP2	1
70316221020	EL NRS EXAM	EPA 200.8	JP2	1
70316221021	EL MO LNG	EPA 200.8	JP2	1
70316221022	EL 118 CS	EPA 200.8	JP2	1
70316221023	EL 119 CS	EPA 200.8	JP2	1
70316221024	EL 120 CS	EPA 200.8	JP2	1
70316221025	EL 121 CS	EPA 200.8	JP2	1
70316221026	EL FAC LNG	EPA 200.8	JP2	1
70316221027	EL 148 CS	EPA 200.8	JP2	1
70316221028	EL 149 CS	EPA 200.8	JP2	1
70316221029	EL 150 CS	EPA 200.8	JP2	1
70316221030	EL 151 CS	EPA 200.8	JP2	1
70316221031	EL 152 CS	EPA 200.8	JP2	1
70316221032	EL 155 CS	EPA 200.8	JP2	1
70316221033	EL 157 CS	EPA 200.8	JP2	1
70316221034	EL 157 WF	EPA 200.8	JP2	1
70316221035	EL 158 CS	EPA 200.8	JP2	1
70316221036	EL 158 WF	EPA 200.8	JP2	1
70316221037	EL 159 CS	EPA 200.8	JP2	1

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### SAMPLE ANALYTE COUNT

Project: MIDDLEBURGH CSD JR/SR H SCHOOL  
Pace Project No.: 70316221

---

Lab ID	Sample ID	Method	Analysts	Analytes Reported
70316221038	EL 160 DS	EPA 200.8	JP2	1
70316221039	EL 160 CS	EPA 200.8	JP2	1
70316221040	EL 160 WF	EPA 200.8	JP2	1
70316221041	EL 156 CS	EPA 200.8	JP2	1
70316221042	EL 156 WF	EPA 200.8	JP2	1
70316221043	EL 162 CS	EPA 200.8	JP2	1
70316221044	EL 162 WF	EPA 200.8	JP2	1
70316221045	EL 141 BR WF	EPA 200.8	JP2	1
70316221046	EL 141 BR WF BF	EPA 200.8	JP2	1
70316221047	EL 141 CS	EPA 200.8	JP2	1
70316221048	EL 140 CS	EPA 200.8	JP2	1
70316221049	EL 139 CS	EPA 200.8	JP2	1
70316221050	EL 138 CS	EPA 200.8	JP2	1
70316221051	EL 136 CS	EPA 200.8	JP2	1
70316221052	EL 135 CS WL	EPA 200.8	JP2	1
70316221053	EL 135 CS WR	EPA 200.8	JP2	1
70316221054	EL 135 CS INT	EPA 200.8	JP2	1
70316221055	EL 130 EXAM	EPA 200.8	JP2	1
70316221056	EL 132 CS	EPA 200.8	JP2	1
70316221057	EL 132 WF	EPA 200.8	JP2	1
70316221058	EL 131 CS	EPA 200.8	JP2	1
70316221059	EL 131 WF	EPA 200.8	JP2	1
70316221060	EL 163 CS	EPA 200.8	JP2	1
70316221061	EL 163 WF	EPA 200.8	JP2	1
70316221062	EL 161 CS	EPA 200.8	JP2	1
70316221063	EL 161 WF	EPA 200.8	JP2	1
70316221064	EL 125 CS	EPA 200.8	JP2	1
70316221065	EL 130 BR	EPA 200.8	JP2	1

---

PACE-MV = Pace Analytical Services - Melville

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: MIDDLEBURGH CSD JR/SR H SCHOOL

Pace Project No.: 70316221

Sample: EL GYM WF		Lab ID: 70316221001	Collected: 10/02/24 06:02	Received: 10/03/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		10/17/24 15:17	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: MIDDLEBURGH CSD JR/SR H SCHOOL

Pace Project No.: 70316221

Sample: EL GYM WF BF		Lab ID: 70316221002	Collected: 10/02/24 06:02	Received: 10/03/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		10/17/24 15:26	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.





### ANALYTICAL RESULTS

Project: MIDDLEBURGH CSD JR/SR H SCHOOL

Pace Project No.: 70316221

Sample: EL KIT COM1		Lab ID: 70316221003	Collected: 10/02/24 06:05	Received: 10/03/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	1.1	ug/L	1.0	1		10/17/24 15:37	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: MIDDLEBURGH CSD JR/SR H SCHOOL

Pace Project No.: 70316221

Sample: EL KIT COM2		Lab ID: 70316221004	Collected: 10/02/24 06:05	Received: 10/03/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	1.8	ug/L	1.0	1		10/17/24 15:50	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: MIDDLEBURGH CSD JR/SR H SCHOOL

Pace Project No.: 70316221

Sample: EL KIT COM3		Lab ID: 70316221005	Collected: 10/02/24 06:06	Received: 10/03/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	2.1	ug/L	1.0	1		10/17/24 16:09	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: MIDDLEBURGH CSD JR/SR H SCHOOL

Pace Project No.: 70316221

Sample: EL KIT PREP 1		Lab ID: 70316221006	Collected: 10/02/24 06:06	Received: 10/03/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	1.3	ug/L	1.0	1		10/17/24 16:15	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: MIDDLEBURGH CSD JR/SR H SCHOOL

Pace Project No.: 70316221

Sample: EL KIT PREP 2		Lab ID: 70316221007	Collected: 10/02/24 06:06	Received: 10/03/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		10/17/24 16:21	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: MIDDLEBURGH CSD JR/SR H SCHOOL

Pace Project No.: 70316221

Sample: EL CAFE WF		Lab ID: 70316221008	Collected: 10/02/24 06:07	Received: 10/03/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		10/17/24 16:26	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: MIDDLEBURGH CSD JR/SR H SCHOOL

Pace Project No.: 70316221

Sample: EL CAFE WF BF		Lab ID: 70316221009	Collected: 10/02/24 06:08	Received: 10/03/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		10/17/24 16:30	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: MIDDLEBURGH CSD JR/SR H SCHOOL

Pace Project No.: 70316221

Sample: EL 171 CS		Lab ID: 70316221010	Collected: 10/02/24 06:10	Received: 10/03/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>2.8</b>	ug/L	1.0	1		10/17/24 16:40	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.





### ANALYTICAL RESULTS

Project: MIDDLEBURGH CSD JR/SR H SCHOOL

Pace Project No.: 70316221

Sample: EL 171 WF		Lab ID: 70316221011	Collected: 10/02/24 06:10	Received: 10/03/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	1.7	ug/L	1.0	1		10/17/24 17:05	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: MIDDLEBURGH CSD JR/SR H SCHOOL

Pace Project No.: 70316221

Sample: EL 169 CS		Lab ID: 70316221012	Collected: 10/02/24 06:13	Received: 10/03/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>3.4</b>	ug/L	1.0	1		10/17/24 17:16	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: MIDDLEBURGH CSD JR/SR H SCHOOL

Pace Project No.: 70316221

Sample: EL 170 CS		Lab ID: 70316221013	Collected: 10/02/24 06:12	Received: 10/03/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>2.0</b>	ug/L	1.0	1		10/17/24 17:20	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: MIDDLEBURGH CSD JR/SR H SCHOOL

Pace Project No.: 70316221

Sample: EL 170 WF		Lab ID: 70316221014	Collected: 10/02/24 06:12	Received: 10/03/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>5.3</b>	ug/L	1.0	1		10/17/24 17:34	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: MIDDLEBURGH CSD JR/SR H SCHOOL

Pace Project No.: 70316221

Sample: EL 168 CS		Lab ID: 70316221015	Collected: 10/02/24 06:14	Received: 10/03/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>2.6</b>	ug/L	1.0	1		10/17/24 17:45	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: MIDDLEBURGH CSD JR/SR H SCHOOL

Pace Project No.: 70316221

Sample: EL 168 WF		Lab ID: 70316221016	Collected: 10/02/24 06:14	Received: 10/03/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>1.9</b>	ug/L	1.0	1		10/17/24 17:48	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: MIDDLEBURGH CSD JR/SR H SCHOOL

Pace Project No.: 70316221

Sample: EL 166 CS		Lab ID: 70316221017	Collected: 10/02/24 06:16	Received: 10/03/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	1.8	ug/L	1.0	1		10/17/24 17:53	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: MIDDLEBURGH CSD JR/SR H SCHOOL

Pace Project No.: 70316221

Sample: EL 166 WF		Lab ID: 70316221018	Collected: 10/02/24 06:16	Received: 10/03/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	1.7	ug/L	1.0	1		10/17/24 17:57	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.





### ANALYTICAL RESULTS

Project: MIDDLEBURGH CSD JR/SR H SCHOOL

Pace Project No.: 70316221

Sample: EL 165 CS		Lab ID: 70316221019		Collected: 10/02/24 06:18	Received: 10/03/24 07:00	Matrix: Drinking Water		
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	1.2	ug/L	1.0	1		10/17/24 18:00	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: MIDDLEBURGH CSD JR/SR H SCHOOL

Pace Project No.: 70316221

Sample: EL NRS EXAM		Lab ID: 70316221020	Collected: 10/02/24 06:19	Received: 10/03/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>4.6</b>	ug/L	1.0	1		10/17/24 18:04	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: MIDDLEBURGH CSD JR/SR H SCHOOL

Pace Project No.: 70316221

Sample: EL MO LNG		Lab ID: 70316221021	Collected: 10/02/24 06:20	Received: 10/03/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>5.3</b>	ug/L	1.0	1		10/17/24 18:11	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: MIDDLEBURGH CSD JR/SR H SCHOOL

Pace Project No.: 70316221

Sample: EL 118 CS		Lab ID: 70316221022	Collected: 10/02/24 06:22	Received: 10/03/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>6.6</b>	ug/L	1.0	1		10/17/24 18:16	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: MIDDLEBURGH CSD JR/SR H SCHOOL

Pace Project No.: 70316221

Sample: EL 119 CS		Lab ID: 70316221023	Collected: 10/02/24 06:23	Received: 10/03/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	2.7	ug/L	1.0	1		10/17/24 18:25	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: MIDDLEBURGH CSD JR/SR H SCHOOL

Pace Project No.: 70316221

Sample: EL 120 CS		Lab ID: 70316221024	Collected: 10/02/24 06:25	Received: 10/03/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>3.0</b>	ug/L	1.0	1		10/17/24 18:36	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: MIDDLEBURGH CSD JR/SR H SCHOOL

Pace Project No.: 70316221

Sample: EL 121 CS		Lab ID: 70316221025	Collected: 10/02/24 06:27	Received: 10/03/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>4.6</b>	ug/L	1.0	1		10/17/24 18:40	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: MIDDLEBURGH CSD JR/SR H SCHOOL

Pace Project No.: 70316221

Sample: EL FAC LNG		Lab ID: 70316221026	Collected: 10/02/24 06:28	Received: 10/03/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>3.0</b>	ug/L	1.0	1		10/17/24 18:44	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.





### ANALYTICAL RESULTS

Project: MIDDLEBURGH CSD JR/SR H SCHOOL

Pace Project No.: 70316221

Sample: EL 148 CS		Lab ID: 70316221027	Collected: 10/02/24 06:25	Received: 10/03/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>4.5</b>	ug/L	1.0	1		10/17/24 18:53	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: MIDDLEBURGH CSD JR/SR H SCHOOL

Pace Project No.: 70316221

Sample: EL 149 CS		Lab ID: 70316221028	Collected: 10/02/24 06:30	Received: 10/03/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>4.6</b>	ug/L	1.0	1		10/17/24 18:56	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: MIDDLEBURGH CSD JR/SR H SCHOOL

Pace Project No.: 70316221

Sample: EL 150 CS		Lab ID: 70316221029	Collected: 10/02/24 06:31	Received: 10/03/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>4.6</b>	ug/L	1.0	1		10/17/24 18:57	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: MIDDLEBURGH CSD JR/SR H SCHOOL

Pace Project No.: 70316221

Sample: EL 151 CS		Lab ID: 70316221030	Collected: 10/02/24 06:33	Received: 10/03/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>3.0</b>	ug/L	1.0	1		10/17/24 18:59	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: MIDDLEBURGH CSD JR/SR H SCHOOL

Pace Project No.: 70316221

Sample: EL 152 CS		Lab ID: 70316221031	Collected: 10/02/24 06:35	Received: 10/03/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>4.3</b>	ug/L	1.0	1		10/17/24 19:00	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: MIDDLEBURGH CSD JR/SR H SCHOOL

Pace Project No.: 70316221

Sample: EL 155 CS		Lab ID: 70316221032	Collected: 10/02/24 06:37	Received: 10/03/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	7.1	ug/L	1.0	1		10/17/24 19:02	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: MIDDLEBURGH CSD JR/SR H SCHOOL

Pace Project No.: 70316221

Sample: EL 157 CS		Lab ID: 70316221033	Collected: 10/02/24 06:36	Received: 10/03/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>3.0</b>	ug/L	1.0	1		10/17/24 19:10	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: MIDDLEBURGH CSD JR/SR H SCHOOL

Pace Project No.: 70316221

Sample: EL 157 WF		Lab ID: 70316221034	Collected: 10/02/24 06:39	Received: 10/03/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	1.6	ug/L	1.0	1		10/17/24 19:14	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.





### ANALYTICAL RESULTS

Project: MIDDLEBURGH CSD JR/SR H SCHOOL

Pace Project No.: 70316221

Sample: EL 158 CS		Lab ID: 70316221035	Collected: 10/02/24 06:40	Received: 10/03/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>3.5</b>	ug/L	1.0	1		10/17/24 19:19	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: MIDDLEBURGH CSD JR/SR H SCHOOL

Pace Project No.: 70316221

Sample: EL 158 WF		Lab ID: 70316221036	Collected: 10/02/24 06:40	Received: 10/03/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>4.3</b>	ug/L	1.0	1		10/17/24 19:21	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: MIDDLEBURGH CSD JR/SR H SCHOOL

Pace Project No.: 70316221

Sample: EL 159 CS		Lab ID: 70316221037	Collected: 10/02/24 06:43	Received: 10/03/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>3.2</b>	ug/L	1.0	1		10/17/24 19:25	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: MIDDLEBURGH CSD JR/SR H SCHOOL

Pace Project No.: 70316221

Sample: EL 160 DS		Lab ID: 70316221038	Collected: 10/02/24 06:46	Received: 10/03/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>63.7</b>	ug/L	1.0	1		10/17/24 19:27	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: MIDDLEBURGH CSD JR/SR H SCHOOL

Pace Project No.: 70316221

Sample: EL 160 CS		Lab ID: 70316221039	Collected: 10/02/24 06:45	Received: 10/03/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>4.0</b>	ug/L	1.0	1		10/17/24 19:28	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: MIDDLEBURGH CSD JR/SR H SCHOOL

Pace Project No.: 70316221

Sample: EL 160 WF		Lab ID: 70316221040	Collected: 10/02/24 06:45	Received: 10/03/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>1.9</b>	ug/L	1.0	1		10/17/24 19:30	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: MIDDLEBURGH CSD JR/SR H SCHOOL

Pace Project No.: 70316221

Sample: EL 156 CS		Lab ID: 70316221041	Collected: 10/02/24 06:42	Received: 10/03/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>4.8</b>	ug/L	1.0	1		10/17/24 19:31	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: MIDDLEBURGH CSD JR/SR H SCHOOL

Pace Project No.: 70316221

Sample: EL 156 WF		Lab ID: 70316221042	Collected: 10/02/24 06:42	Received: 10/03/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	1.5	ug/L	1.0	1		10/17/24 19:33	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.





### ANALYTICAL RESULTS

Project: MIDDLEBURGH CSD JR/SR H SCHOOL

Pace Project No.: 70316221

Sample: EL 162 CS		Lab ID: 70316221043	Collected: 10/02/24 06:48	Received: 10/03/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	3.7	ug/L	1.0	1		10/17/24 19:34	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: MIDDLEBURGH CSD JR/SR H SCHOOL

Pace Project No.: 70316221

Sample: EL 162 WF		Lab ID: 70316221044	Collected: 10/02/24 06:48	Received: 10/03/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>2.3</b>	ug/L	1.0	1		10/17/24 19:36	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: MIDDLEBURGH CSD JR/SR H SCHOOL

Pace Project No.: 70316221

Sample: EL 141 BR WF		Lab ID: 70316221045	Collected: 10/02/24 06:57	Received: 10/03/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		10/17/24 19:38	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: MIDDLEBURGH CSD JR/SR H SCHOOL

Pace Project No.: 70316221

Sample: EL 141 BR WF BF		Lab ID: 70316221046	Collected: 10/02/24 06:57	Received: 10/03/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		10/17/24 19:39	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: MIDDLEBURGH CSD JR/SR H SCHOOL

Pace Project No.: 70316221

Sample: EL 141 CS		Lab ID: 70316221047	Collected: 10/02/24 06:59	Received: 10/03/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>2.0</b>	ug/L	1.0	1		10/17/24 19:44	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: MIDDLEBURGH CSD JR/SR H SCHOOL

Pace Project No.: 70316221

Sample: EL 140 CS		Lab ID: 70316221048	Collected: 10/02/24 06:59	Received: 10/03/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>3.9</b>	ug/L	1.0	1		10/17/24 19:45	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: MIDDLEBURGH CSD JR/SR H SCHOOL

Pace Project No.: 70316221

Sample: EL 139 CS		Lab ID: 70316221049	Collected: 10/02/24 07:01	Received: 10/03/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>4.3</b>	ug/L	1.0	1		10/17/24 19:47	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: MIDDLEBURGH CSD JR/SR H SCHOOL

Pace Project No.: 70316221

Sample: EL 138 CS		Lab ID: 70316221050	Collected: 10/02/24 07:01	Received: 10/03/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>4.2</b>	ug/L	1.0	1		10/17/24 19:48	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.





### ANALYTICAL RESULTS

Project: MIDDLEBURGH CSD JR/SR H SCHOOL

Pace Project No.: 70316221

Sample: EL 136 CS		Lab ID: 70316221051	Collected: 10/02/24 07:02	Received: 10/03/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>3.3</b>	ug/L	1.0	1		10/17/24 19:50	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: MIDDLEBURGH CSD JR/SR H SCHOOL

Pace Project No.: 70316221

Sample: EL 135 CS WL		Lab ID: 70316221052	Collected: 10/02/24 07:05	Received: 10/03/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>3.2</b>	ug/L	1.0	1		10/17/24 19:52	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: MIDDLEBURGH CSD JR/SR H SCHOOL

Pace Project No.: 70316221

Sample: EL 135 CS WR		Lab ID: 70316221053	Collected: 10/02/24 07:06	Received: 10/03/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>6.4</b>	ug/L	1.0	1		10/17/24 19:56	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: MIDDLEBURGH CSD JR/SR H SCHOOL

Pace Project No.: 70316221

Sample: EL 135 CS INT		Lab ID: 70316221054	Collected: 10/02/24 07:06	Received: 10/03/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>22.5</b>	ug/L	1.0	1		10/17/24 20:04	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: MIDDLEBURGH CSD JR/SR H SCHOOL

Pace Project No.: 70316221

Sample: EL 130 EXAM		Lab ID: 70316221055	Collected: 10/02/24 07:10	Received: 10/03/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>15.3</b>	ug/L	1.0	1		10/17/24 20:08	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: MIDDLEBURGH CSD JR/SR H SCHOOL

Pace Project No.: 70316221

Sample: EL 132 CS		Lab ID: 70316221056	Collected: 10/02/24 07:14	Received: 10/03/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	7.7	ug/L	1.0	1		10/17/24 20:10	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: MIDDLEBURGH CSD JR/SR H SCHOOL

Pace Project No.: 70316221

Sample: EL 132 WF		Lab ID: 70316221057	Collected: 10/02/24 07:14	Received: 10/03/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>11.0</b>	ug/L	1.0	1		10/17/24 20:12	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: MIDDLEBURGH CSD JR/SR H SCHOOL

Pace Project No.: 70316221

Sample: EL 131 CS		Lab ID: 70316221058	Collected: 10/02/24 07:12	Received: 10/03/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>4.0</b>	ug/L	1.0	1		10/17/24 20:13	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.





### ANALYTICAL RESULTS

Project: MIDDLEBURGH CSD JR/SR H SCHOOL

Pace Project No.: 70316221

Sample: EL 131 WF		Lab ID: 70316221059	Collected: 10/02/24 07:12	Received: 10/03/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>2.2</b>	ug/L	1.0	1		10/17/24 20:15	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: MIDDLEBURGH CSD JR/SR H SCHOOL

Pace Project No.: 70316221

Sample: EL 163 CS		Lab ID: 70316221060	Collected: 10/02/24 06:50	Received: 10/03/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>2.9</b>	ug/L	1.0	1		10/17/24 20:16	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: MIDDLEBURGH CSD JR/SR H SCHOOL

Pace Project No.: 70316221

Sample: EL 163 WF		Lab ID: 70316221061	Collected: 10/02/24 06:50	Received: 10/03/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		10/17/24 20:21	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: MIDDLEBURGH CSD JR/SR H SCHOOL

Pace Project No.: 70316221

Sample: EL 161 CS		Lab ID: 70316221062	Collected: 10/02/24 06:53	Received: 10/03/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>4.3</b>	ug/L	1.0	1		10/17/24 20:22	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: MIDDLEBURGH CSD JR/SR H SCHOOL

Pace Project No.: 70316221

Sample: EL 161 WF		Lab ID: 70316221063	Collected: 10/02/24 06:53	Received: 10/03/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	1.7	ug/L	1.0	1		10/17/24 20:24	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: MIDDLEBURGH CSD JR/SR H SCHOOL

Pace Project No.: 70316221

Sample: EL 125 CS		Lab ID: 70316221064	Collected: 10/02/24 07:08	Received: 10/03/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>7.3</b>	ug/L	1.0	1		10/17/24 20:25	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: MIDDLEBURGH CSD JR/SR H SCHOOL

Pace Project No.: 70316221

Sample: EL 130 BR		Lab ID: 70316221065	Collected: 10/02/24 07:10	Received: 10/03/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>2.9</b>	ug/L	1.0	1		10/17/24 20:27	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



**QUALITY CONTROL DATA**

Project: MIDDLEBURGH CSD JR/SR H SCHOOL

Pace Project No.: 70316221

QC Batch:	367082	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville

Associated Lab Samples: 70316221001, 70316221002, 70316221003, 70316221004

METHOD BLANK: 1915430 Matrix: Water  
 Associated Lab Samples: 70316221001, 70316221002, 70316221003, 70316221004

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	10/17/24 15:05	

LABORATORY CONTROL SAMPLE: 1915431

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	50.9	102	85-115	

MATRIX SPIKE SAMPLE: 1915433

Parameter	Units	70316219017 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	2.2	50	42.1	80	70-130	

MATRIX SPIKE SAMPLE: 1915435

Parameter	Units	70316219018 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	41.6	83	70-130	

SAMPLE DUPLICATE: 1915432

Parameter	Units	70316219017 Result	Dup Result	RPD	Max RPD	Qualifiers
Lead	ug/L	2.2	2.1	3	20	

SAMPLE DUPLICATE: 1915434

Parameter	Units	70316219018 Result	Dup Result	RPD	Max RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.





**QUALITY CONTROL DATA**

Project: MIDDLEBURGH CSD JR/SR H SCHOOL

Pace Project No.: 70316221

QC Batch: 367084 Analysis Method: EPA 200.8  
 QC Batch Method: EPA 200.8 Analysis Description: 200.8 MET No Prep Drinking Water  
 Laboratory: Pace Analytical Services - Melville  
 Associated Lab Samples: 70316221005, 70316221006, 70316221007, 70316221008, 70316221009, 70316221010

METHOD BLANK: 1915442 Matrix: Water  
 Associated Lab Samples: 70316221005, 70316221006, 70316221007, 70316221008, 70316221009, 70316221010

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	10/17/24 15:51	

LABORATORY CONTROL SAMPLE: 1915443

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	50.3	101	85-115	

MATRIX SPIKE SAMPLE: 1915445

Parameter	Units	70316220023 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	7.3	50	46.5	78	70-130	

MATRIX SPIKE SAMPLE: 1915447

Parameter	Units	70316219028 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	4.2	50	44.6	81	70-130	

SAMPLE DUPLICATE: 1915444

Parameter	Units	70316220023 Result	Dup Result	RPD	Max RPD	Qualifiers
Lead	ug/L	7.3	7.5	3	20	

SAMPLE DUPLICATE: 1915446

Parameter	Units	70316219028 Result	Dup Result	RPD	Max RPD	Qualifiers
Lead	ug/L	4.2	4.1	3	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



**QUALITY CONTROL DATA**

Project: MIDDLEBURGH CSD JR/SR H SCHOOL

Pace Project No.: 70316221

QC Batch:	367086	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville

Associated Lab Samples: 70316221011, 70316221012, 70316221013

METHOD BLANK: 1915450 Matrix: Water  
 Associated Lab Samples: 70316221011, 70316221012, 70316221013

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	10/17/24 16:41	

LABORATORY CONTROL SAMPLE: 1915451

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	50.3	101	85-115	

MATRIX SPIKE SAMPLE: 1915453

Parameter	Units	70316220036 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	7.8	50	47.6	80	70-130	

MATRIX SPIKE SAMPLE: 1915455

Parameter	Units	70316220037 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	2.3	50	42.4	80	70-130	

SAMPLE DUPLICATE: 1915452

Parameter	Units	70316220036 Result	Dup Result	RPD	Max RPD	Qualifiers
Lead	ug/L	7.8	8.0	2	20	

SAMPLE DUPLICATE: 1915454

Parameter	Units	70316220037 Result	Dup Result	RPD	Max RPD	Qualifiers
Lead	ug/L	2.3	2.3	1	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



**QUALITY CONTROL DATA**

Project: MIDDLEBURGH CSD JR/SR H SCHOOL

Pace Project No.: 70316221

QC Batch:	367087	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville
Associated Lab Samples:	70316221014, 70316221015, 70316221016, 70316221017, 70316221018, 70316221019, 70316221020, 70316221021, 70316221022		

METHOD BLANK:	1915457	Matrix:	Water
Associated Lab Samples:	70316221014, 70316221015, 70316221016, 70316221017, 70316221018, 70316221019, 70316221020, 70316221021, 70316221022		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	10/17/24 17:28	

LABORATORY CONTROL SAMPLE:	1915458					
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	49.5	99	85-115	

MATRIX SPIKE SAMPLE:	1915460						
Parameter	Units	70316221014 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	5.3	50	48.1	86	70-130	

MATRIX SPIKE SAMPLE:	1915462						
Parameter	Units	70316223004 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	2.4	50	49.3	94	70-130	

SAMPLE DUPLICATE:	1915459					
Parameter	Units	70316221014 Result	Dup Result	RPD	Max RPD	Qualifiers
Lead	ug/L	5.3	5.2	1	20	

SAMPLE DUPLICATE:	1915461					
Parameter	Units	70316223004 Result	Dup Result	RPD	Max RPD	Qualifiers
Lead	ug/L	2.4	2.3	2	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



**QUALITY CONTROL DATA**

Project: MIDDLEBURGH CSD JR/SR H SCHOOL

Pace Project No.: 70316221

QC Batch:	367102	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville
Associated Lab Samples:	70316221023, 70316221024, 70316221025, 70316221026, 70316221027, 70316221028, 70316221029, 70316221030, 70316221031, 70316221032		

METHOD BLANK:	1915517	Matrix:	Water
Associated Lab Samples:	70316221023, 70316221024, 70316221025, 70316221026, 70316221027, 70316221028, 70316221029, 70316221030, 70316221031, 70316221032		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	10/17/24 18:17	

LABORATORY CONTROL SAMPLE: 1915518						
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	50.4	101	85-115	

MATRIX SPIKE SAMPLE: 1915520							
Parameter	Units	70316223015 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	44.1	88	70-130	

MATRIX SPIKE SAMPLE: 1915522							
Parameter	Units	70316221023 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	2.7	50	45.0	85	70-130	

SAMPLE DUPLICATE: 1915519						
Parameter	Units	70316223015 Result	Dup Result	RPD	Max RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		20	

SAMPLE DUPLICATE: 1915521						
Parameter	Units	70316221023 Result	Dup Result	RPD	Max RPD	Qualifiers
Lead	ug/L	2.7	2.7	2	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



**QUALITY CONTROL DATA**

Project: MIDDLEBURGH CSD JR/SR H SCHOOL

Pace Project No.: 70316221

QC Batch:	367103	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville
Associated Lab Samples:	70316221033, 70316221034, 70316221035, 70316221036, 70316221037, 70316221038, 70316221039, 70316221040, 70316221041, 70316221042, 70316221043, 70316221044, 70316221045, 70316221046, 70316221047, 70316221048, 70316221049, 70316221050, 70316221051, 70316221052		

METHOD BLANK:	1915527	Matrix:	Water
Associated Lab Samples:	70316221033, 70316221034, 70316221035, 70316221036, 70316221037, 70316221038, 70316221039, 70316221040, 70316221041, 70316221042, 70316221043, 70316221044, 70316221045, 70316221046, 70316221047, 70316221048, 70316221049, 70316221050, 70316221051, 70316221052		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	10/17/24 19:07	

LABORATORY CONTROL SAMPLE:	1915528					
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	50.2	100	85-115	

MATRIX SPIKE SAMPLE:	1915530						
Parameter	Units	70316221033 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	3.0	50	42.6	79	70-130	

MATRIX SPIKE SAMPLE:	1915532						
Parameter	Units	70316221034 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	1.6	50	42.5	82	70-130	

SAMPLE DUPLICATE:	1915529					
Parameter	Units	70316221033 Result	Dup Result	RPD	Max RPD	Qualifiers
Lead	ug/L	3.0	3.0	0	20	

SAMPLE DUPLICATE:	1915531					
Parameter	Units	70316221034 Result	Dup Result	RPD	Max RPD	Qualifiers
Lead	ug/L	1.6	1.6	2	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: MIDDLEBURGH CSD JR/SR H SCHOOL

Pace Project No.: 70316221

QC Batch:	367104	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville
Associated Lab Samples:	70316221053, 70316221054, 70316221055, 70316221056, 70316221057, 70316221058, 70316221059, 70316221060, 70316221061, 70316221062, 70316221063, 70316221064, 70316221065		

METHOD BLANK:	1915539	Matrix:	Water
Associated Lab Samples:	70316221053, 70316221054, 70316221055, 70316221056, 70316221057, 70316221058, 70316221059, 70316221060, 70316221061, 70316221062, 70316221063, 70316221064, 70316221065		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	10/17/24 19:53	

LABORATORY CONTROL SAMPLE: 1915540						
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	48.5	97	85-115	

MATRIX SPIKE SAMPLE: 1915542							
Parameter	Units	70316221053 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	6.4	50	46.2	80	70-130	

MATRIX SPIKE SAMPLE: 1915544							
Parameter	Units	70316221054 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	22.5	50	63.5	82	70-130	

SAMPLE DUPLICATE: 1915541						
Parameter	Units	70316221053 Result	Dup Result	RPD	Max RPD	Qualifiers
Lead	ug/L	6.4	6.4	1	20	

SAMPLE DUPLICATE: 1915543						
Parameter	Units	70316221054 Result	Dup Result	RPD	Max RPD	Qualifiers
Lead	ug/L	22.5	22.5	0	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



## QUALIFIERS

Project: MIDDLEBURGH CSD JR/SR H SCHOOL

Pace Project No.: 70316221

---

### DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: MIDDLEBURGH CSD JR/SR H SCHOOL

Pace Project No.: 70316221

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
70316221001	EL GYM WF	EPA 200.8	367082		
70316221002	EL GYM WF BF	EPA 200.8	367082		
70316221003	EL KIT COM1	EPA 200.8	367082		
70316221004	EL KIT COM2	EPA 200.8	367082		
70316221005	EL KIT COM3	EPA 200.8	367084		
70316221006	EL KIT PREP 1	EPA 200.8	367084		
70316221007	EL KIT PREP 2	EPA 200.8	367084		
70316221008	EL CAFE WF	EPA 200.8	367084		
70316221009	EL CAFE WF BF	EPA 200.8	367084		
70316221010	EL 171 CS	EPA 200.8	367084		
70316221011	EL 171 WF	EPA 200.8	367086		
70316221012	EL 169 CS	EPA 200.8	367086		
70316221013	EL 170 CS	EPA 200.8	367086		
70316221014	EL 170 WF	EPA 200.8	367087		
70316221015	EL 168 CS	EPA 200.8	367087		
70316221016	EL 168 WF	EPA 200.8	367087		
70316221017	EL 166 CS	EPA 200.8	367087		
70316221018	EL 166 WF	EPA 200.8	367087		
70316221019	EL 165 CS	EPA 200.8	367087		
70316221020	EL NRS EXAM	EPA 200.8	367087		
70316221021	EL MO LNG	EPA 200.8	367087		
70316221022	EL 118 CS	EPA 200.8	367087		
70316221023	EL 119 CS	EPA 200.8	367102		
70316221024	EL 120 CS	EPA 200.8	367102		
70316221025	EL 121 CS	EPA 200.8	367102		
70316221026	EL FAC LNG	EPA 200.8	367102		
70316221027	EL 148 CS	EPA 200.8	367102		
70316221028	EL 149 CS	EPA 200.8	367102		
70316221029	EL 150 CS	EPA 200.8	367102		
70316221030	EL 151 CS	EPA 200.8	367102		
70316221031	EL 152 CS	EPA 200.8	367102		
70316221032	EL 155 CS	EPA 200.8	367102		
70316221033	EL 157 CS	EPA 200.8	367103		
70316221034	EL 157 WF	EPA 200.8	367103		
70316221035	EL 158 CS	EPA 200.8	367103		
70316221036	EL 158 WF	EPA 200.8	367103		
70316221037	EL 159 CS	EPA 200.8	367103		
70316221038	EL 160 DS	EPA 200.8	367103		
70316221039	EL 160 CS	EPA 200.8	367103		
70316221040	EL 160 WF	EPA 200.8	367103		
70316221041	EL 156 CS	EPA 200.8	367103		
70316221042	EL 156 WF	EPA 200.8	367103		
70316221043	EL 162 CS	EPA 200.8	367103		
70316221044	EL 162 WF	EPA 200.8	367103		
70316221045	EL 141 BR WF	EPA 200.8	367103		
70316221046	EL 141 BR WF BF	EPA 200.8	367103		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.





### QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: MIDDLEBURGH CSD JR/SR H SCHOOL

Pace Project No.: 70316221

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
70316221047	EL 141 CS	EPA 200.8	367103		
70316221048	EL 140 CS	EPA 200.8	367103		
70316221049	EL 139 CS	EPA 200.8	367103		
70316221050	EL 138 CS	EPA 200.8	367103		
70316221051	EL 136 CS	EPA 200.8	367103		
70316221052	EL 135 CS WL	EPA 200.8	367103		
70316221053	EL 135 CS WR	EPA 200.8	367104		
70316221054	EL 135 CS INT	EPA 200.8	367104		
70316221055	EL 130 EXAM	EPA 200.8	367104		
70316221056	EL 132 CS	EPA 200.8	367104		
70316221057	EL 132 WF	EPA 200.8	367104		
70316221058	EL 131 CS	EPA 200.8	367104		
70316221059	EL 131 WF	EPA 200.8	367104		
70316221060	EL 163 CS	EPA 200.8	367104		
70316221061	EL 163 WF	EPA 200.8	367104		
70316221062	EL 161 CS	EPA 200.8	367104		
70316221063	EL 161 WF	EPA 200.8	367104		
70316221064	EL 125 CS	EPA 200.8	367104		
70316221065	EL 130 BR	EPA 200.8	367104		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



**WO#: 70316221**

### CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

**Pace\*** Location Requested (City/State):  
 Pace Analytical Long Island NY  
 575 Broad Hollow Rd, Melville, NY 11747

**Company Name:** Intertek-PSI  
**Street Address:** 17 British American Blvd, Latham, NY 12210

**Customer Project #:** Middleburgh Central School District  
**Project Name:** Middleburgh Central School District

**Site Collection Info/Facility ID (as applicable):**  
 Elementary School

**Contact/Report To:** William Kotas  
 Phone #: (518) 377-9841  
 E-Mail: william.kotas@intertek.com  
 Cc E-Mail:

**Invoice To:** PSI Latham Accounts Payable  
 Invoice E-Mail: LathamAR@Intertek.com

**Purchase Order # (if applicable):**  
**Quote #:** CR-BOCES

**County / State origin of sample(s):** New York

**Time Zone Collected:** [ ] AK [ ] PT [ ] MT [ ] CT [X] ET  
**Data Deliverables:** Regulatory Program (DW, RCRA, etc.) as applicable: NY Lead in School DW

**Rush (Pre-approval required):** DW PWSID # or WW Permit # as applicable:  
 [ ] 2 Day [ ] 3 day [ ] 5 day [ ] Other

**Date Results Requested:** Standard 10 business day  
 Field Filtered (if applicable): [ ] Yes [ ] No  
 Analysis:

**\* Matrix Codes (Insert in Matrix box below):** Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Other (OT), Surface Water (SW), Sediment (SED), Sludge (SL), Caulk

Customer Sample ID	Matrix *	Collected		Res. CL2	Number & Type of Containers	Sample Comment
		Comp / Grab	Time			
EL 6YM wF	DW	G	10/2/24 602		1	X
EL 6YM wFBF			602			
EL KIT COM1			605			
EL KIT COM2			605			
EL KIT COM3			606			
EL KIT P41			606			
EL KIT P42			607			
EL Cafe wF			608			
EL Cafe wFBF			608			
EL 171CS			610			

**Additional Instructions from Pace\*:**

**Collected By:** Richard Paszkiewicz  
**Signature:** *[Signature]*

**Received by/Company (Signature):** *[Signature]* Pace  
**Date/Time:** 10/2/24 13:42

**Received by/Company (Signature):** *[Signature]*  
**Date/Time:** 10/2/24 13:53

**Received by/Company (Signature):** *[Signature]* Pace LI  
**Date/Time:** 10/3/24 700

**Received by/Company (Signature):** *[Signature]*  
**Date/Time:** 10/3/24 700

**Tracking Number:** 10/2 13:42

**Delivered by:** [ ] In-Person [ ] Courier  
 [ ] FedEx [ ] UPS [ ] Other

**Page:** 1 of 7

**Customer Remarks / Special Conditions / Possible Hazards:**  
 Lead

**Chain-of-Custody Analytical Request Document**  
 Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

Company Name: **Intertek-PSI**  
 Street Address: **17 British American Blvd, Latham, NY 12120**

Contact/Report To: **William Kotas**  
 Phone #: **(518) 377-9841**  
 E-Mail: **william.kotas@intertek.com**  
 Cc E-Mail:

Customer Project #: **Middleburgh Central School District**  
 Project Name:

Site Collection Info/Facility ID (as applicable):  
**Elementary School**

Time Zone Collected: [ ] AK [ ] PT [ ] MT [ ] CT [X] ET  
 Data Deliverables:

[ ] Level II [ ] Level III [ ] Level IV  
 [ ] EQUIS  
 [ ] Other

Rush (Pre-approval required):  
 [ ] 2 Day [ ] 3 day [ ] 5 day [ ] Other  
 Date Results Requested: **Standard 10 business day**

\* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Other (OT), Surface Water (SW), Sediment (SED), Sludge (SL), Caulk

Specify Container Size \*\*

Identify Container Preservative Type\*\*\*

Analysis Requested

County / State origin of sample(s): **New York**

Regulatory Program (DW, RCRA, etc.) as applicable: **NY Lead in School DW**

DW PWSID # or WW Permit # as applicable:

Field Filtered (if applicable): [ ] Yes [ ] No

Analysis:

Customer Sample ID	Matrix *	Collected		Res. CL2	Number & Type of Containers	Sample Comment
		Comp / Grab	(or Composite Start) Date			
EL 164 wf	DW	G	10/22/2014	610	1	X
EL 169 CS			613			
EL 170 CS			612			
EL 170 wf			612			
EL 168 CS			614			
EL 168 wf			614			
EL 166 CS			616			
EL 166 wf			616			
EL 165 CS			618			
EL NRS Exam			619			

Additional Instructions from Pace\*

Collected By: **Richard Paszkiewicz**  
 Printed Name: **Richard Paszkiewicz**  
 Signature: *[Signature]*

Received by/Company: **Pace**  
 Signature: *[Signature]*

Received by/Company: **Pace LI**  
 Signature: *[Signature]*

Date/Time: **10/22/14 13:53**

Date/Time: **10/22/14 13:42**

Date/Time: **10/13/14 700**

Tracking Number:

Delivered by: [ ] In-Person [ ] Courier  
 [ ] FedEx [ ] UPS [ ] Other

Page: **7** of **7**

**CHAIN-OF-CUSTODY Analytical Request Document**  
 Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

Scan QR Code for instructions

Specify Container Size \*\*

Identify Container Preservative Type\*\*\*

Analysis Requested

\*\*Container Size: (1) 1L, (2) 500mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL vial, (7) EriCore, (8) TerraCore, (9) Other

\*\*\* Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other

Preservation non-conformance identified for

Lab Use Only

Proj. Mgr: **Lori Beyer**

AcctNum / Client ID:

Table #:

Profile / Template: **10367**

Prelag / Bottle Ord. ID:

Sample Comment

200.8 Drinking Water (Pb only)

Customer Sample ID	Matrix *	Collected (or Composite Start)		Composite End		Res. CL2	Number & Type of Containers
		Date	Time	Date	Time		
EL MG LNB	DW	10/21/2024	6:20				1
EL 118 CS			6:22				
EL 119 CS			6:23				
EL 120 CS			6:25				
EL 121 CS			6:27				
EL FAC LNB			6:28				
EL 148 CS			6:29				
EL 149 CS			6:30				
EL 150 CS			6:31				
EL 151 CS			6:33				

Additional Instructions from Pace\*:

Collected By: **Richard Paszkiewicz**

Printed Name: Richard Paszkiewicz

Signature: *R. Paszkiewicz*

# Coolers: Thermometer ID: Correction Factor (°C): Obs. Temp. (°C) Corrected Temp. (°C)

Tracking Number: **1612 13:42**

Date/Time: **10/21/24 13:53**

Delivered by: [ ] In-Person [ ] Courier

Date/Time: **10/21/24 7:00**

Received by/Company: **Richard Paszkiewicz**

Received by/Company: **Richard Paszkiewicz**

Received by/Company: **Richard Paszkiewicz**

Received by/Company: **Richard Paszkiewicz**

Page: **3** of **7**

Scan QR Code for instructions

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

**CHAIN-OF-CUSTODY Analytical Request Document**

Location Requested (City/State): Pace Analytical Long Island NY  
 575 Broad Hollow Rd, Melville, NY 11747

Company Name: Intertek-PSI  
 Street Address: 17 British American Blvd, Latham, NY 12210

Contact/Report To: William Kotas  
 Phone #: (518) 377-9841  
 E-Mail: william.kotas@intertek.com  
 Cc E-Mail:

Customer Project #: Middleburgh Central School District

Invoice To: PSI Latham Accounts Payable  
 Invoice E-Mail: LathamAR@intertek.com

Purchase Order # (if applicable):  
 Quote #: CR-BOCES

Specify Container Size \*\*  
 Identify Container Preservative Type\*\*\*  
 Analysis Requested

Time Zone Collected: [ ] AK [ ] PT [ ] MT [ ] CT [X] ET  
 Regulatory Program (DW, RCRA, etc.) as applicable: NY Lead in School DW

Rush (Pre-approval required):  
 [ ] 2 Day [ ] 3 day [ ] 5 day [ ] Other: \_\_\_\_\_  
 Date Results Requested: Standard 10 business day

Field Filtered (if applicable): [ ] Yes [ ] No  
 Analysis:

\* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Other (OT), Surface Water (SW), Sediment (SED), Sludge (SL), Caulk

Customer Sample ID	Matrix *	Collected		Res. CL2	Number & Type of Containers	Sample Comment
		Comp / Grab	Time			
EL 152 CS	DW	G	10/27/2024 6:35		1	200.8 Drinking Water (Pb only) X
EL 155 CS			6:37			
EL 157 CS			6:39			
EL 157 wf			6:39			
EL 158 CS			6:40			
EL 158 wf			6:40			
EL 159 CS			6:43			
EL 160 DS			6:46			
EL 160 CS			6:45			
EL 160 wf			6:45			

Additional Instructions from Page: \_\_\_\_\_  
 # Coolers: \_\_\_\_\_ Thermometer ID: \_\_\_\_\_ Correction Factor (°C): \_\_\_\_\_ Obs. Temp. (°C): \_\_\_\_\_ Corrected Temp. (°C): \_\_\_\_\_

Tracking Number: \_\_\_\_\_  
 Date/Time: 10/2 13:42  
 Date/Time: \_\_\_\_\_  
 Date/Time: 10/2 13:53  
 Date/Time: \_\_\_\_\_

Delivered by: [ ] In-Person [ ] Courier  
 [ ] FedEx [ ] UPS [ ] Other  
 Page: 4 of 7

Printed Name: Richard Paszkiewicz  
 Signature: *[Signature]*  
 Received by/Company: *[Signature]*  
 Received by/Company: *[Signature]*  
 Received by/Company: *[Signature]*  
 Received by/Company: *[Signature]*

**Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields**

**CHAIN-OF-CUSTODY Analytical Request Document**

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

Scan QR Code for instructions



Specify Container Size \*\*

Identify Container Preservative Type\*\*\*

Analysis Requested

\*\*\* Container Size: (1) 1L, (2) 500mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL vial, (7) EnCore, (8) TerraCore, (9) Other

\*\*\* Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other

Lab Use Only

Proj. Mgr: **Lori Beyer**

AcctNum / Client ID:

Table #:

Profile / Template: **10367**

Prelog / Bottle Ord. ID:

Sample Comment

Preservation non-conformance identified for sample

200.8 Drinking Water (Pb only)

Customer Sample ID	Matrix *	Collected		Res. CL2	Number & Type of Containers
		Comp / Grab	Time		
EL 156 CS	DW	G	10/27/2024 6:42		1
EL 156 wf			6:42		
EL 162 CS			6:48		
EL 162 wf			6:57		
EL 141 BR wf			6:57		
EL 141 CS			6:59		
EL 140 CS			7:01		
EL 139 CS			7:01		
EL 138 CS					

Additional Instructions from Pace:

# Coolers: Thermometer ID: Correction Factor (°C): Obs. Temp. (°C) Corrected Temp. (°C)

Printed Name: Richard Paszkiewicz

Signature: *[Signature]*

Received by/Company: *[Signature]* Pace

Received by/Company: *[Signature]*

Received by/Company: *[Signature]* Pace LI

Received by/Company: *[Signature]*

Date/Time: 10/27/2024 13:42

Date/Time: 10/27/2024 13:53

Date/Time: 10/27/2024 7:00

Date/Time:

Delivered by: ( ) In-Person ( ) Courier ( ) FedEx ( ) UPS ( ) Other

Page: 5 of 7

**CHAIN-OF-CUSTODY Analytical Request Document**  
 Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

LAB USE ONLY - Affix Workorder/Login Label Here

Company Name: **Intertek-PSI**  
 Street Address: **17 British American Blvd, Latham, NY 12210**  
 Contact/Report To: **William Kotas**  
 Phone #: **(518) 377-9841**  
 E-Mail: **william.kotas@intertek.com**  
 Cc E-Mail:

Customer Project #: **Middleburgh Central School District**  
 Project Name: **Middleburgh Central School District**  
 Site Collection Info/Facility ID (as applicable):  
**Elementary School**

Time Zone Collected: [ ] AK [ ] MT [ ] CT [X] ET  
 Data Deliverables:

Specify Container Size \*\*  
 Identify Container Preservative Type \*\*\*  
 Analysis Requested

Container Size: (1) 1L, (2) 500mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL vial, (7) Encore, (8) TerraCore, (9) Other  
 Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other

County / State origin of sample(s): **New York**  
 Regulatory Program (DW, RCRA, etc.) as applicable: **NY Lead in School DW**  
 Rush (Pre-approval required):  
 ( ) 1-2 Day ( ) 3-5 day ( ) 5-7 day ( ) Other  
 Date Results Requested: **Standard 10 business day**  
 Field Filtered (if applicable): [ ] Yes [ ] No  
 Analysis:

Lab Use Only  
 Proj. Mgr: **Lori Beyer**  
 AcctNum / Client ID:  
 Table #:  
 Profile / Template:  
 Prelog / Bottle Ord. ID:

Preservation non-conformance identified for sample

Customer Sample ID	Matrix *	Comp / Grab	Collected (or Composite Start)		Res. CL2	Composite End		Number & Type of Containers		Sample Comment
			Date	Time		Date	Time	Plastic	Glass	
EL 136 CS	DW	G	10/2/2024	7:02				1		X
EL 135 CS WL				7:05						
EL 135 CS WR				7:06						
EL 135 CS INT				7:06						
EL 130 BR				7:10						
EL 130 EXAM				7:10						
EL 132 CS				7:14						
EL 132 WF				7:14						
EL 131 CS				7:12						
EL 131 WF				7:12						

Additional Instructions from Pace\*:  
 # Coolers: Thermometer ID: Correction Factor (°C): Obs. Temp. (°C) Corrected Temp. (°C)  
 Signature: *Richard Paszkiewicz*  
 Date/Time: *10/1 13:42*  
 Received by/Company: *John Pace*  
 Date/Time: *10/3/24 7:00*  
 Tracking Number:  
 Delivered by: [ ] In-Person [ ] Courier [ ] FedEx [ ] UPS [ ] Other  
 Page: **6** of **7**

**CHAIN-OF-CUSTODY Analytical Request Document**  
Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields



Scan QR Code for instructions

Company Name: Intertek-PSI  
Street Address: 17 British American Blvd, Latham, NY 12210  
Contact/Report To: William Kotas  
Phone #: (518) 377-9841  
E-Mail: william.kotas@intertek.com  
Ct E-Mail:

Customer Project #: Middleburgh Central School District  
Invoice To: PSI Latham Accounts Payable  
Invoice E-Mail: LathamAR@intertek.com

Purchase Order # (if applicable):  
Quote #: CR-BOCES  
County / State origin of sample(s): New York

Regulatory Program (DW, RCRA, etc.) as applicable: NY Lead in School DW

Rush (Pre-approval required):  
DW PWSID # or WW Permit # as applicable:  
Field Filtered (if applicable): [ ] Yes [ ] No  
Date Results Requested: Standard 10 business day  
Analysis:

\* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Other (OT), Surface Water (SW), Sediment (SED), Sludge (SL), Caulk

Customer Sample ID	Matrix *	Comp / Grab	Collected		Composite End Date	Res. CL2	Number & Type of Containers		Sample Comment
			Date	Time			Plastic	Glass	
EL 163 CS	DW	G	10/2/2024	6:50			1		
EL 163 wsf				6:50					X
EL 161 CS				6:53					
EL 161 wsf				6:53					
EL 125 CS				7:08					

Customer Remarks / Special Conditions / Possible Hazards:

Lead

Collected By: Richard Paszkiewicz  
Signature: *[Signature]*

Received by/Company: (Signature) *[Signature]*  
Date/Time: 10/2/24 13:42

Received by/Company: (Signature) *[Signature]*  
Date/Time: 10/3/24 7:00

Tracking Number: *[Blank]*

Delivered by: [ ] In-Person [ ] Courier  
[ ] FedEx [ ] UPS [ ] Other

Page: 7 of 7





WO#: 70316221

Client Name: inter-latham

Project #

PM: LAB

Due Date: 10/17/24

Courier:  Fed Ex  UPS  USPS  Client  Commercial  Parcel  Other

CLIENT: INTER-LATHAM

Tracking #: \_\_\_\_\_

Custody Seal on Cooler/Box Present:  Yes  No Seals intact:  Yes  No Temperature Blank Present:  Yes  No

Packing Material:  Bubble Wrap  Bubble Bags  Ziploc  None  Other Type of Ice: Wet Blue None

Thermometer Used: TA211 Correction Factor: +0.3  Samples on ice, cooling process has begun

Cooler Temperature(°C): 16.8 Cooler Temperature Corrected(°C): 17.1 Date/Time 5035A kits placed in freezer \_\_\_\_\_

Temp should be above freezing to 6.0°C

USDA Regulated Soil (  N/A, water sample)

Did samples originate in a quarantine zone within the United States: AL, AR, CA, FL, GA, ID, LA, MS, NC, NM, NY, OK, OR, SC, TN, TX, or VA (check map)?  Yes  No

Did samples originate from a foreign source including Hawaii and Puerto Rico)?  Yes  No

If Yes to either question, fill out a Regulated Soil Checklist (ENV-FRM-MELV-0076) and include with SCUR/COC paperwork.

Date and Initials of person examining contents: 10/3/24 AEB

	COMMENTS:
Chain of Custody Present: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	1.
Chain of Custody Filled Out: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	2.
Chain of Custody Relinquished: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	3.
Sampler Name & Signature on COC: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
Short Hold Time Analysis (<72hr): <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume: (Triple volume provided for MS/MSD) <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	8.
Correct Containers Used: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
-Pace Containers Used: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Containers Intact: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	11. Note: if sediment is visible in the dissolved container.
Filtered volume received for Dissolved tests <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	12.
Sample Labels match COC: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
-Includes date/time/ID/Analysis Matrix: SL WT OIL OTHER	

Date and Initials of person checking preservation: 10/3/24 AEB

All containers needing preservation have been pH paper Lot # 213624	13. <input type="checkbox"/> HNO <sub>3</sub> <input type="checkbox"/> H <sub>2</sub> SO <sub>4</sub> <input type="checkbox"/> NaOH <input type="checkbox"/> HCl
All containers needing preservation are found to be in compliance with method recommendation? (HNO <sub>3</sub> , H <sub>2</sub> SO <sub>4</sub> , HCl, NaOH>9 Sulfide, <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A NAOH>12 Cyanide)	Sample #
Exceptions: VOA, Coliform, TOC/DOC, Oil and Grease, DRO/8015 (water).	Initial when completed: Lot # of added preservative: Date/Time preservative added:
Per Method, VOA pH is checked after analysis	14.
Samples checked for dechlorination: <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	Positive for Res. Chlorine? Y N
KI starch test strips Lot #	15.
Residual chlorine strips Lot #	Positive for Sulfide? Y N
SM 4500 CN samples checked for sulf <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	16.
Lead Acetate Strips Lot #	17.
Headspace in ALK Bottle (>6mm): <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Headspace in VOA Vials (>6mm): <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Trip Blank Present: <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Trip Blank Custody Seals Present <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	

Client Notification/ Resolution:

Field Data Required? Y / N

Person Contacted: \_\_\_\_\_

Date/Time: \_\_\_\_\_

Comments/ Resolution: \_\_\_\_\_

\* PM (Project Manager) review (which includes the SCUR) is documented electronically in LIMS.